







PART NO. 2007xxWV001
 DWG NO. C2007WV



RECOMMENDED PCB LAYOUT
 (PCB THK=1.0~1.6)



Dimensional & Ordering Information:

Part No.	Circuits	Dim A	Dim B
200702WV001	2	2.0	6.0
200703WV001	3	4.0	8.0
200704WV001	4	6.0	10.0
200705WV001	5	8.0	12.0
200706WV001	6	10.0	14.0
200707WV001	7	12.0	16.0
200708WV001	8	14.0	18.0
200709WV001	9	16.0	20.0
200710WV001	10	18.0	22.0
200711WV001	11	20.0	24.0
200712WV001	12	22.0	26.0
200713WV001	13	24.0	28.0
200714WV001	14	26.0	30.0
200715WV001	15	28.0	32.0

NOTE:

4~15 Circuits

- Housing Material: Nylon 66 UL94V0
Pin/Pos Material: brass bronze.
- Plated: Tin-plated 50u"min.
- Insulation resistance: 1000MΩ min.
- Withstand voltage: 800V AC/minute.
- Current rating: 2A AC/DC.
- Voltage rating: 250V AC/DC

UNLESS OTHERWISE SPECIFIED TOLERANCES			
3 PLACE ±0.5 ±0.10			
2 PLACE ±1.5 ±0.25			
1 PLACE ±2.0 ±0.50			
ANGLE DIM			
REV.	REVISION		DIS DATE
SCALE	REV.	PAGE:	UNIT M M
4/1	A	1/1	THIRD ANGLE PROJECTION
DWG NO:			C2007WV

EXCON

EXCON TECHNOLOGY COMPANY

PART.NO

2007xxWV001