








PART NO. 2011xxWV201
 DWG NO. C2011WV



TOLERANCES ARE NON-CUMULATIVE:±0.05



RECOMMENDED PCB LAYOUT
 (PCB THK=1.0~1.6)



Dimensional & Ordering Information:

Part No.	Circuits	A	B	C
201102WV201	2	2.00	8.0	---
201103WV201	3	4.00	10.0	---
201104WV201	4	6.00	12.0	---
201105WV201	5	8.00	14.0	---
201106WV201	6	10.00	16.0	---
201107WV201	7	12.00	18.0	7.00
201108WV201	8	14.00	20.0	---
201109WV201	9	16.00	22.0	---
201110WV201	10	18.00	24.0	---
201111WV201	11	20.00	26.0	---
201112WV201	12	22.00	28.0	13.60
201113WV201	13	24.00	30.0	---
201114WV201	14	26.00	32.0	---
201115WV201	15	28.00	34.0	---
201116WV201	16	30.00	36.0	---

NOTE:

1. Wafer Material: PBT UL 94V-0
Pin/Pos Material: brass bronze.
2. Plated: Tin-plated 50u"min.
3. Insulation resistance: 1000M ohm/min.
4. Withstand voltage: 800V AC/minute.
5. Current rating: 3A AC/DC.
6. Voltage rating: 250V AC/DC

REV.	REVISION		DIS	DATE
SCALE	REV.	PAGE:	UNIT mm	
4/1	A	1	THIRD ANGLE PROJECTION	

UNLESS OTHERWISE SPECIFIED TOLERANCES
 3 PLACE ±0.5 ±0.10
 2 PLACE ±1.5 ±0.35
 1 PLACE ±2.0 ±0.50
 ANGLE DIM

EXCON
 EXCON TECHNOLOGY COMPANY

DWG NO:		PART.NO		
C2011WV		2011xxWV201		