




PART NO. 2503xxHA054  
 DWG NO. C2503HA



Dimensional & Ordering Information:

Part No.	Circuits	Dim A	Dim B
250302HA054	2	2.50	5.80
250303HA054	3	5.00	8.30
250304HA054	4	7.50	10.80
250305HA054	5	10.00	13.30
250306HA054	6	12.50	15.80
250307HA054	7	15.00	18.30
250308HA054	8	17.50	20.80
250309HA054	9	20.00	23.30
250310HA054	10	22.50	25.80
250311HA054	11	25.00	28.30
250312HA054	12	27.50	30.80
250313HA054	13	30.00	33.30
250314HA054	14	32.50	35.80
250315HA054	15	35.00	38.30
250316HA054	16	37.50	40.80
250317HA054	17	40.00	43.30
250318HA054	18	42.50	45.80
250320HA054	20	47.50	50.80

NOTE:

1. Wafer Material: Nylon 66,UL 94V2
2. Insulation resistance: 1000MΩ/min.
- △ 3. Withstand voltage: 800V AC/minute.
4. Current rating: 3A AC/DC.
5. Voltage rating: 250V AC/DC
- △ 6. Color: Beige

B		DWG RELEASE		△	christy	12/18 2015	UNLESS OTHERWISE SPECIFIED TOLERANCES 3 PLACE ±0.5 ±0.10 2 PLACE ±1.5 ±0.25 1 PLACE ±2.0 ±0.50 ANGLE DIM
REV.	REVISION			DIS	DATE		
SCALE	REV.	PAGE:	UNIT		mm		DWG NO:
5/1	B	1/1	THIRD ANGLE		PROJECTION		C2503HA

**EXCON**  
 EXCON TECHNOLOGY COMPANY

PART.NO  
 2503xxHA054