






PART NO. 2547xxWV203  
 DWG NO. C2547WV



Dimensional & Ordering Information:

Part No.	Circuits	Dim A	Dim B
254702WV203	2	2.54	7.62
254704WV203	4	7.62	12.70
254706WV203	6	12.70	17.78
254708WV203	8	17.78	22.86
254709WV203	9	20.32	25.40
254710WV203	10	22.86	27.94
254712WV203	12	27.94	33.02
254715WV203	15	35.56	40.64
254722WV203	22	53.34	58.42

NOTE:

- Wafer Material: PBT UL94V-0  
Pin/Pos Material: brass bronze.
- Plated: Tin-plated 50u" min
- Insulation resistance: 1000MΩ min.
- Withstand voltage: 1000V AC/minute.
- Current rating: 3A AC/DC.
- Voltage rating: 250V AC/DC

UNLESS OTHERWISE SPECIFIED TOLERANCES			
3 PLACE ±0.5 ±0.10			
2 PLACE ±1.5 ±0.25			
1 PLACE ±2.0 ±0.50			
ANGLE DIM			
REV.	REVISION		DIS DATE
SCALE	REV.	PAGE:	UNIT M M
3/1	A	1	THIRD ANGLE PROJECTION

**EXCON**  
 EXCON TECHNOLOGY COMPANY

DWG NO: C2547WV  
 PART.NO: 2547xxWV203